

NAUTITECH 41 TYPE S

Preliminary Standard Inventory

TECHNICAL DATAS

Length overall	12,59m / 41'3"
Length waterline	12,42m / 40'7"
Beam overall	7,29m / 23'9"
Draft	1,44m / 4'7"
Unloaded weight (approx.)	9t / 19 841 lbs
Engine	VOLVO D2-30, Saildrive
Fuel tank	2 x 250 L / 2 x 66 gal
Water tank	2 x 300 L / 2 x 79 gal
Cabins - Heads, standard	2 to 3 - 2 heads
Upwind sail area	119m ² / 1281 sq ft
Full batten mainsail, standard	69m ² / 743 sq ft
Genois, standard	50m ² / 538 sq ft
Height of mast above water line (approx.)	20,15m / 66'1"
Architect	MLYDG
Interior Design	Chrisophe Chedal Anglay
Certification CE catégorie A (10 pers.)	TBC
Certification CE catégorie B (10 pers.)	TBC
Certification CE catégorie C (22 pers.)	TBC
Certification CE catégorie D (22 pers.)	TBC

CONSTRUCTION

Hull and Deck made of fibreglass and polyester sandwich infusion VacuTec process	■
Hull and Deck in gelcoat white	■
Coachroof in gelcoat white	■
Keel in GRP laminated and bonded to hull	■
Gold sticker floating lines as per standard hull decoration	■
Panoramic roof glazing with 2 opening flush hatches on each side of the mast support	■
2 opening hatches T44 on roof with mosquitos and blinds integrated	■
4 x Double Hull windows including opening porthole (cabins and owner head)	■
2 x Hull windows including opening porthole (head)	■

RIG AND DECK HARDWARE

Aluminium deck stepped mast, anodised, with two spreaders sets	■
Aluminium boom, anodised	■
Anodized aluminium forward front beam	■
Genoa furler	■
Polyester running rigging, Dynema for main sail , genoa halyards, reef 1 and 2	■
Mainsheet traveller on the coachroof	■
4 x manual winches in cockpit and aft beam	■
2 x Winch handles and pockets	■

SAILS

Full top square full batten mainsail, Dacron	■
Genoa, Dacron, incl. white UV protection stripe Incidence sails.	■

DECK/ STERN PLATFORM

Black laquered stanchions with black Dyneema textile lifelines	■
6 x black allow Mooring cleats	■
Two white nets (30x30) lashed to hull and front beam	■
Bow lockers and storage (x2)	■
Locker with anchor windlass (electric) with wired remote, 1000W	■
8 x openable semi flush deck hatches Goïot Magic with blinds and mosquito screens.	■
1 opening hatch on head bed on each aft cabin with integrated opening hatch	■

PROPULSION / STEERING

2 x 30hp diesel engines Volvo Penta (Saildrive)	■
Alternator 115 Ah (1 per engine)	■

2 x 3-blade fixed aluminium propellers	■
2 diesel 200L tanks with fuel gauge on chart table screen	■
Double helm station with black silicone covered steering wheels, GOIOT TRIAK D700 aluminium + compass	■
Mechanical engine throttle on starboard	■
GRP rudders with stainless steel stock	■
Emergency tiller	■
Access to engine room via transom hatches	■
Engine compartment insulate with double density sound proofing foam	■
Anti-immersion bulkhead upstream of the engine, cable and sheath passage refilled by adding gaskets according to the standard	■

ELECTRONIC AND MULTIMEDIA

Raymarine Navigation pack - starboard helmstation	
- 1 x multifinction I70S display	
- Autopilot P70S	■
- VHF Ray 90 at chart table	
- AIS 700 transmitter/receiver	

ELECTRICAL MANAGEMENT SYSTEM

220 V electrical panel under starboard cabin bed.	■
12 v electrical panel under portside cabin bed	■
2 engine battery 12V/95Ah AGM + 16A Cristec charger	■
Battery for service 4 x 12V/140Ah	■
Electrical switch for batteries (service and engines)	■
VICTRON Multiplus 2000VA	■
Prise de quai 32A / 230V (ou 50A -110V)	■
Sockets 230V in each cabin, saloon, galley	■
Galvanic isolator on starboard	■
Battery level and voltage monitoring via Victron GX Touch	■

LIGHTS

LED navigation lights and anchor light	■
LED stern light integrated in the roof top	■
LED lights in cockpit : spots ceilinglights and LED stripes	■
LED lights in saloon : spots ceilinglights and LED stripes and chart table reading light	■
LED lights in cabins, spots ceiling lights and reading light.	■

PLUMBING

Electric and manual bilge pumps in both hulls	■
Electric bilge pumps in both engine compartments	■
Fresh water: 2 x 300L tank with 2 level probes, gauge with display at the chart table.	
Valve accessible in the starboard forward locker with hose protection sheath. Brass seacock,	■
Black water : 2 x 44L alloy tanks with gauges, composite seacock.	■
Grey water: recovery under the floor (bottom of the hull)	■
Pressurized water system with 5L expansion tank located on portside under floorboard at mast bulkhead	■
Hot water 40L boiler with 1200W in 110V and 500W in 230V located in the port engine compartment.	■

COCKPIT / TRANSOM

Spacious open style cockpit, 2 large benches on starboard and portside with storages	■
Aft bench with storage dedicated for the liferaft	■
Coffre dédié au radeau de survi	■
Gaz locker in the starboard bench (gaz bottle not supplied)	■
2 stainless steel helmseats	■
Double sliding door to salon, black frame, with lock	■
HPL and natural wood grating over cockpit drainage	■
Aft pushpits black laquered	■
Black laquered handrails on the roof	■
Foldable bathing ladder on starboard	■
Hot/Cold cockpit shower on starboard transom	■

COACHROOF

2 black laquered handrails on coachroof	■
Top zenital window in coachroof	■

AMENAGEMENTS INTERIEURS

Generalities

3 cabins / 2 bathroom**Saloon**

Comfortable saloon area with modern lounge style sofas
Fixed dining table
Storage under the starboard seat
Eden upholstery (3 color choice)
Black anodised stainless steel descent handrails covered with simili leather
LED reading lights at the chart table
Mast pillar black simili leather covered with Nautitech manta ray decoration
Blinds and mosquitos screens on each deck hatches

**Galley**

Multiple storage cupboards
Large worktops in solid surface resin with shiny aluminum fiddles
Refrigerator 130L 12V in front galley
Aft galley with :
- Gas oven ENO
- 3 burner gas stove ENO
- Double sink with mixer tap
- Waste bin

**Cabins**

Aft cabins with Double bed (160*200cm)
Forward cabins with Double bed (150*195cm)
Mattresses Light Grey
Lining finish at bed front tour
Hull windows with opening hatches
Underbed storage
Several lockers and shelves for storage
LED reading lights headboard (2 pcs)
Blinds and mosquitos screens on each deck hatches
Blinds for hull windows

**Owner Cabins equipment (in addition to above cabin description)**

Access from the saloon through a sliding door

**Head**

Shower cabin
Sink with mixing tap
Worktop
Storage
Towel rail
Mirror
Manual pump toilet (sea water flush)

**Owner suite head**

Separate shower cabin
Worktop
Storage
Mirrors with integrated storage
Towel rail
Sink with mixing tap
Manual pump toilet (sea water flush)

**Companionways**

Storage

**Safety equipment**

20kg DELTA anchor with 40m of chain and 20m of line



Version S2_2025

Date of issue : 18/04/2025 - all previous price lists lose their validity

Preliminary inventory list provided without any contractual value. Subject to modifications as the product is currently in the definition and adjustment phase.

We, Nautitech, reserve the right to modify or improve our products and to change its specifications and/or prices without notice. We, Nautitech, are not liable for errors and printing mistakes. Aforementioned prices are recommended sales prices, not contractual. All modifications of orders may be subject to invoicing according to the then valid price list. The current price includes the Ecotax APER.

NAUTITECH CATAMARANS, 5-7 rue Hubert Pennevert, 17300 Rochefort - France

Tél : +33 (0)5 46 99 54 51

Email : contact@nautitech.fr

www.nautitechcatamarans.com

